

Anbesol[®] Cold Sore Therapy

This is the most current labeling information, and may differ from labels on product packaging. If there are any differences between this website labeling and product packaging labeling, this website labeling should be regarded as the most current.

Drug Facts

Active ingredients

Purposes

Allantoin 1%	Skin protectant
Benzocaine 20%	Fever blister/cold sore treatment
Camphor 3%	Fever blister/cold sore treatment
White petrolatum 64.9%	Skin protectant

Uses

- temporarily relieves pain associated with fever blisters and cold sores
- relieves dryness and softens fever blisters and cold sores

Warnings

METHEMOGLOBINEMIA WARNING: Use of this product may cause methemoglobinemia, a rare but serious condition that must be treated promptly because it reduces the amount of oxygen carried in blood. Stop use and seek immediate medical attention if you or a child in your care develops:

- pale, gray, or blue colored skin (cyanosis)
- headache
- rapid heart rate
- shortness of breath
- dizziness or lightheadedness
- fatigue or lack of energy

For external use only

Allergy alert: Do not use this product if you have a history of allergy to local anesthetics such as procaine, butacaine, benzocaine, or other "caine" anesthetics

Do not use on

- deep or puncture wounds
- animal bites
- serious burns

When using this product

- avoid contact with the eyes
- do not exceed recommended dosage

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days

Keep out of reach of children. In swallowed, get medical help or contact a Poison Control Center right away.

Anbesol[®] Cold Sore Therapy

This is the most current labeling information, and may differ from labels on product packaging. If there are any differences between this website labeling and product packaging labeling, this website labeling should be regarded as the most current.

Directions

- to open tube, cut tip of the tube on score mark with scissors
- adults and children 2 years of age and older: apply to the affected area not more than 3 to 4 times daily
- children under 12 years of age: adult supervision should be given in the use of this product
- children under 2 years of age: consult a doctor

Other information store at 20-25°C (68-77°F)

Inactive ingredients aloe barbadensis leaf extract, benzyl alcohol, butylparaben, glyceryl monostearate, isocetyl stearate, menthol, methylparaben, mineral oil, propylparaben, sodium lauryl sulfate, vitamin E, white wax

Questions or comments? Call weekdays 9AM to 5PM EST at
1-888-797-5638