Centrum ADULTS

Multivitamin/Multimineral Supplement

This is the most current labeling information and may differ from labels on product packaging. If there are any differences between this website labeling and product packaging labeling, this website labeling should be regarded as the most current.

SUGGESTED USE: Adults- Take one (1) tablet daily with food. Not formulated for use in children. Do not exceed suggested use.

| Amount Per Serving | % Daily Value |
|---|---------------|
| Vitamin A 3,500 IU (29% as Beta-Carotene) | 70% |
| Vitamin C 60 mg | 100% |
| Vitamin D 1,000 IU | 250% |
| Vitamin E 30 IU | 100% |
| Vitamin K 25 mcg | 31% |
| Thiamin 1.5 mg | 100% |
| Riboflavin 1.7 mg | 100% |
| Niacin 20 mg | 100% |
| Vitamin B ₆ 2 mg | 100% |
| Folic Acid 400 mcg | 100% |
| Vitamin B ₁₂ 6 mcg | 100% |
| Biotin 30 mcg | 10% |
| Pantothenic Acid 10 mg | 100% |
| Calcium 200 mg | 20% |
| Iron 18 mg | 100% |
| Phosphorus 20 mg | 2% |
| lodine 150 mcg | 100% |
| Magnesium 50 mg | 13% |

Centrum ADULTS

Multivitamin/Multimineral Supplement

This is the most current labeling information and may differ from labels on product packaging. If there are any differences between this website labeling and product packaging labeling, this website labeling should be regarded as the most current.

| Zinc 11 mg | 73% |
|-------------------------------|------|
| Selenium 55 mcg | 79% |
| Copper 0.5 mg | 25% |
| Manganese 2.3 mg | 115% |
| Chromium 35 mcg | 29% |
| Molybdenum 45 mcg | 60% |
| Chloride 72 mg | 2% |
| Potassium 80 mg | 2% |
| Nickel 5 mcg | * |
| Silicon 2 mg | * |
| Tin 10 mcg | * |
| Vanadium 10 mcg | * |
| *Daily Value not established. | |

Centrum ADULTS

Multivitamin/Multimineral Supplement

This is the most current labeling information and may differ from labels on product packaging. If there are any differences between this website labeling and product packaging labeling, this website labeling should be regarded as the most current.

Ingredients: Calcium Carbonate, Potassium Chloride, Dibasic Calcium Phosphate, Magnesium Oxide, Microcrystalline Cellulose, Ascorbic Acid (Vit. C), Ferrous Fumarate, dl-Alpha Tocopheryl Acetate (Vit. E), Maltodextrin. Contains < 2% of: Beta-Carotene, BHT (to preserve freshness), Biotin, Calcium Pantothenate, Cholecalciferol (Vit. D₃), Chromium Picolinate, Corn Starch, Crospovidone, Copper Sulfate, Cyanocobalamin (Vit. B₁₂), Folic Acid, Gelatin, Hydrogenated Palm Oil, Magnesium Stearate, Manganese Sulfate, Modified Corn Starch, Niacinamide, Nickelous Sulfate, Phytonadione (Vit. K), Polyethylene Glycol, Polyvinyl Alcohol, Potassium Iodide, Pregelatinized Corn Starch, Pyridoxine Hydrochloride (Vit. B₆), Riboflavin (Vit. B₂), Silicon Dioxide, Sodium Ascorbate (to preserve freshness), Sodium Metavanadate, Sodium Molybdate, Sodium Selenate, Stannous Chloride, Talc, Thiamine Mononitrate (Vit. B₁), Titanium Dioxide, Tocopherols (to preserve freshness), Vitamin A Acetate, Yellow 6 Lake, Zinc Oxide.

As with any supplement, if you are pregnant, nursing, or taking medication, consult your doctor before use.

WARNING: Accidental overdose of iron-containing products is a leading cause of fatal poisoning in children under 6. Keep this product out of reach of children. In case of accidental overdose, call a doctor or poison control center immediately.

IMPORTANT INFORMATION: Long-term intake of high levels of vitamin A (excluding that sourced from beta-carotene) may increase the risk of osteoporosis in adults. Do not take this product if taking other vitamin A supplements.

Store at room temperature. Keep bottle tightly closed.

Bottle sealed with printed foil under cap. Do Not Use if foil is torn.

Marketed by: Pfizer, Madison, NJ 07940 USA

Made in Canada

Questions? Comments? Call 1-877-CENTRUM (236-8786)